

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	3705	(sender\$1 or transmitter\$1 or transceiver \$1) and count \$3 and (block \$1 or segment \$1 or unit\$1 or fragment\$1 or sub-data or sub-packet\$1) and scheduler and ((look adj ahead) or advan \$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/01 13:56
S4	631	(sender\$1 or transmitter\$1 or transceiver \$1) and count \$3 and ((block \$1 or segment \$1 or unit\$1 or fragment\$1 or sub-data or sub-packet\$1) with ((look adj ahead) or advan \$5)) and scheduler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/01 13:57
S5	73	(sender\$1 or transmitter\$1 or transceiver \$1) and count \$3 and ((block \$1 or segment \$1 or unit\$1 or fragment\$1 or sub-data or sub-packet\$1) with ((look adj ahead) or advan \$5)) and scheduler and ((block\$1 or segment\$1 or unit\$1 or	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/01 13:58

		fragment\$1 or sub-data or sub-packet\$1) with lock\$3)				
S6	40	(sender\$1 or transmitter\$1 or transceiver\$1) and count\$3 and ((block\$1 or segment\$1 or unit\$1 or fragment\$1 or sub-data or sub-packet\$1) with ((look adj ahead) or advan\$5)) and scheduler and ((block\$1 or segment\$1 or unit\$1 or fragment\$1 or sub-data or sub-packet\$1) with lock\$3) and ((block\$1 or segment\$1 or unit\$1 or fragment\$1 or sub-data or sub-packet\$1) with identif\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/01 13:59
S7	7573	(sender\$1 or transmitter\$1 or transceiver\$1) and count\$3 and ((block\$1 or segment\$1 or unit\$1 or fragment\$1 or sub-data or sub-packet\$1) with lock\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/01 14:03

S8	4	S7 and scheduler with ((block\$1 or segment\$1 or unit\$1 or fragment\$1 or sub-data or sub-packet\$1) with ((look adj ahead) or advan \$5) with request \$4 with (ID or identif\$6 or indicat\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/01 14:06
S9	4	S7 and (scheduler with (block\$1 or segment\$1 or unit\$1 or fragment\$1 or sub-data or sub-packet\$1) with ((look adj ahead) or advan \$5) with request \$4 with (ID or identif\$6 or indicat\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/01 14:06
S10	4	S7 and (scheduler with (block\$1 or segment\$1 or unit\$1 or fragment\$1 or sub-data or sub-packet\$1) with ((look adj ahead) or advan \$5) with request \$4 )	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/01 14:08

S11	4	S7 and scheduler with ((block\$1 or segment\$1 or unit\$1 or fragment\$1 or sub-data or sub-packet\$1) with ((look adj ahead) or lookahead or advan\$5) with request\$4 with (1D or identif\$6 or indicat\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/01 14:37
S20	143	(Barrett near2 Peter).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/21 19:18
S21	1	S20 and (sender \$1 and scheduler\$1 and ahead and lock\$3).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/21 19:18
S22	281	(look\$3 adj ahead) near5 request\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 19:08
S23	127	S22 and (request\$4 near4 (message packet signal))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 19:09
S24	106195	(lock\$3 with (packet\$1 or data or block\$1 or subpacket or sub-packet))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 19:11
S25	22	S23 and (lock \$3 with (packet \$1 or data or block\$1 or subpacket\$1 or sub-packet\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 19:11
S26	13	S25 and counter \$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 19:12
S27	2202	ahead near5 request\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 19:18

S28	426	S27 and (lock \$3 with (packet \$1 or data or block\$1 or subpacket\$1 or sub-packet\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 19:18
S29	266	S28 and counter \$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 19:18
S30	17	S29 and scheduler\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 19:20
S32	12861	(ahead or pre) near5 request \$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 19:40
S33	7498	(ahead or pre) with request\$4 with (packet\$1 or data or block \$1 or subpacket \$1 or sub-packet\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 19:41
S34	221	S33 and scheduler\$1 and counter\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 19:42
S35	55	S34 and (lock \$3 with (packet \$1 or data or block\$1 or subpacket\$1 or sub-packet\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 19:42
S36	44	S35 not S30	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 19:43
S37	3994	((ahead or pre) near5 request \$4) with (packet \$1 data block\$1 unit\$1 subpacket\$1 sub-packet\$1 PDU)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 20:01

S38	461	S37 and (lock \$4 with (packet \$1 data block\$1 unit\$1 subpacket\$1 sub-packet\$1 PDU))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 20:02
S39	20	S38 and scheduler\$1 and counter\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 20:02
S40	15	S39 not S36	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 20:03
S41	587	(current same request same ahead same (packet\$1 data block\$1 unit\$1 subpacket\$1 sub-packet\$1 PDU))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 20:33
S42	136	(current same request same ahead same (type\$1 or region\$1 area) same (packet\$1 data block\$1 unit\$1 subpacket\$1 sub-packet\$1 PDU))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 20:36
S43	22	S42 and scheduler\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 20:37
S44	240	schedul\$3 same current same request same (ahead or advan\$4) same (packet\$1 data block\$1 unit\$1 subpacket\$1 sub-packet\$1 PDU)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 21:04
S45	61	S44 and (segment or fragment)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 21:05

S46	97	schedul\$3 same current same request same (ahead or advan\$4) same (region\$1 or area\$1or type \$1) same (packet\$1 data block\$1 unit\$1 subpacket\$1 sub-packet\$1 PDU)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 21:06
S47	24	S46 and (segment or fragment)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 21:06
S48	536	schedul\$3 with three with (region\$1 or area\$1or type \$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 21:19
S49	115	schedul\$3 with three with (region\$1 or area\$1or type \$1) with (packet \$1 data block\$1 unit\$1 subpacket\$1 sub-packet\$1 PDU)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 21:20
S50	26	S49 and (segment or fragment)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 21:20
S51	727	schedul\$3 with current with next with (packet\$1 data block\$1 unit\$1 subpacket\$1 sub-packet\$1 PDU)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 21:36

S52	835	schedul\$3 with current\$2 with next with (packet\$1 data block\$1 unit\$1 subpacket\$1 sub-packet\$1 PDU)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 21:37
S53	274	S52 and (segment or fragment)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 21:37
S54	62	schedul\$3 with current\$2 with next with request\$4 with (packet\$1 data block\$1 unit\$1 subpacket\$1 sub-packet\$1 PDU)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 21:37
S55	21	S54 and (segment or fragment)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 21:38
S56	41	S54 not S55	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 21:48
S62	1402	(lock\$3 with (reserv\$4 or request\$4) with (data block\$2 unit\$1 packet \$1 subpacket \$1) with (send sent transmi \$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 22:38
S63	249	S62 and schedul \$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 22:38
S64	189	S63 and (media TV video audio)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 22:40
S65	158	S63 and (media TV video audio) with (data block \$2 unit\$1 packet\$1 subpacket\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/22 22:40



11/24/2008 3:05:20 AM

C:\Documents and Settings\thoang2\My Documents\EAST\Workspaces\10798993.  
wsp